

► What turns a drill bit into a Heller drill bit?

The use of particularly high quality steel
for the entire drill bit.

Accurate production using the latest
computer-controlled equipment.

The label "Heller Quality - Made in Germany"
for superior product quality.

ISO certification – confirmation of compliance with
important environmental and health and safety regulations.

Constant, on-going product development in Heller's own research and
development department.

The enthusiasm with which Heller's employees embrace
this quality ideal.

In short: There are drill bits and then there are Heller drill bits.
Producing superior quality for over 400 years.

1003 . 2,5 Art. No. 10172 1 GB 1.0



CONSTRUCTION PRODUCTS

heller
get a bit more



► MODULES AND DISPLAYS

heller
get a **bit** more

P R O D U C T C A T A L O G U E





QuickFINDER

MODULES AND DISPLAYS



For general terms and conditions and further product information go to: www.hellertools.com

QuickFINDER

MODULES AND DISPLAYS

	Page
Heller Drill Centre	1 - 4
Modules	5 - 13
Hammer Bits	6
Concrete and Masonry Drill Bits	8
Wood Drill Bits	9 - 10
Metal Drill Bits	10 - 11
Cassette and Drill Bit Sets	12
Compass and Sabre Saw Blades	13
Displays and Merchandiser Cabinets	14 - 17
Tower Display	15
Counter Display	16
Small Merchandiser Cabinet	17
Large Merchandiser Cabinet	17

Please note THESE SYMBOLS



▶ Diameter of drill bit



▶ Working length of drill bit



▶ Overall length of drill bit



▶ Article number



▶ Price in euro



▶ Shank structure



▶ Plastic wallet



▶ Plastic twist pack



▶ Transparent tube



▶ Plastic hanger attachment



▶ Plastic carton



▶ Drill bits in a cassette



▶ Article also available in a set with others



▶ Suitable for reinforcement



▶ Surface treated using the Heller HST process



▶ Diameter of the core bit



▶ Working length of the core bit



▶ Overall length of the core bit



▶ Contents



▶ Also available as modules



▶ Patented Twinmax spirals for quieter running and improved waste removal



▶ For use with hammer drill



▶ For rotary drilling (non-impact)



▶ For gentle drilling



▶ Cylindrical shank



▶ Hexagonal shank



▶ Tested Heller quality



▶ Other accessories available



▶ The drill bit satisfies the guidelines of the Prüfgemeinschaft Mauerbohrer (PGM) and the requirements of the Deutsches Institut für Bautechnik (DIBt) for the production of dowel holes



WHAT YOU CAN EXPECT FROM US

► Comprehensive service - part of our commitment to the customer

When you buy a Heller product, you're not just buying a high quality product. The package we offer our dealers includes constant, on-going product development, routine visits from field staff, support with sales and marketing, training sessions, the provision of guarantees and much much more. We know that top-class products deserve top-class service.

► Speed - part of our commitment to being dynamic



Heller is faster: This applies not only to the drilling speed of our products, our dealers also think we are way ahead in handling customer enquiries, requirements and orders. Routine dealer surveys highlight our success. For years they have given us top marks for our delivery performance – and the results just keep getting better!

► Patents and industrial property rights - part of our commitment to innovation

Our regular close contact with dealers and customers is a source of valuable suggestions for improvements and innovations. Many of our engineers' developments are world innovations. We respect the intellectual property rights of others and protect our own. All major products are protected by patent.

► DIN EN ISO certification - part of our commitment to quality

The good reputation that Heller products have enjoyed for more than 400 years is a result of the consistent top-class quality of all our products and services. All Heller employees know that the quality of our products depends on their performances and actions. The success of our quality management, which has always been a matter of course at Heller, has been impressively confirmed by DIN ISO certification.



Modules and Displays

A T T R A C T I V E I D E A S F O R I N C R E A S E D S A L E S



► Diversity for professionals

All products are successful on the market because they solve user problems. Market requirements, which are subject to constant change and extension, are our yardstick. With a full range of products, which is supplied worldwide to more than 50 countries, we offer a comprehensive assortment of quality tools for professionals who demand the very best.

► Universal use

Displays and modules are an integral part of doing business. Eye-catching displays at the POS ensure increased sales – and that's a fact! Modules offering a carefully selected range of products at an attractive price are invaluable for assisting specialist dealers in the purchasing decision.

► Advantages for the dealer

Every dealer dreams of increased sales and profit per square metre of selling space. Heller can help make this dream a reality with its carefully selected combination of displays and modules. The modules are part of the "Heller drill centre", a wall system which makes the most of the quality tools from Heller. Attractive secondary placement displays also help give sales an additional boost.

► Fast and complete supply service

Every year our routine customer surveys impress upon us just how important the fast, complete and punctual arrival of supplies is for business success. Together with our dealers we use the Internet as an innovative sales and marketing tool. If you require further details about a coherent, consistent, competitive and cost-effective sales and marketing solution – don't hesitate to contact us.

► Drill Centre

Drill Centre

► Drill Centre

General Information

Dimensions

Advantages for the dealer



HellerDRILL CENTRE

THE THIRD DIMENSION IN SUCCESSFUL SALES



Picture: HDC 200 with lighting

Question: How do you display more than 200 quality tools in about one square metre of shop space? Answer: With the Heller drill centre "HDC 200"! At just two metres in width and 54 cm in depth, the HDC 200 provides your customers with a complete selection of drill bits for all applications.

Each drill centre is mounted to a standard perforated metal panel – lighting and additional generously-sized lower product display area are available on request. The metal panel is fitted with specially selected 3D modules – there are over 40 different standard modules to choose from.

HellerDRILL CENTRE

A C L O S E R L O O K A T T H E I N T E L L I G E N T O P T I O N



The silent salesman

The lower label provides the exact name of the article group as well as important information on the features and benefits of each drill bit – thus giving the customer a good initial overview.



The module with depth

The module, made from sturdy non-rust metal, comprises three hook rails which are staged one behind the other. This innovation allows maximum use of the space available.



Heller brings colour to your display

An additional colour coding system adds the finishing touch to this system. Each product packaging has a different colour label to denote the various product groups: hammer drill bits and chisels – red, concrete and masonry drill bits – green, wood drill bits – yellow, metal drill bits – blue.

Technical data for the customer

Information on the dimensions of the drill bits is given on the hook rails. The information provides the customer with what he needs to know to make a selection – the exact diameter of the drill bit is written in large bold letters, followed by the working and total length in slightly smaller lettering – perfect for quick orientation!



Stock maintenance made easy

A further intelligent detail is the individual labels on the hook rails which can be folded down. The EAN code and article number are printed on their reverse, making stock maintenance and reordering quick and easy to manage!



HellerDRILL CENTRE

Y O U R A D V A N T A G E S

Individual product range for your customers

Whatever you need – hammer drill bits, concrete and masonry drill bits, wood drill bits, metal drill bits or saw blades – you can select the right products for your customers from our range. Our field and in-house sales staff are pleased to help you in your selection.

Flexible dimensions to fit your premises


We can even adjust the width of the drill centre to meet your needs. We offer the following widths as standard: 100 cm, 133 cm, 200 cm, 266 cm and 300 cm. For other dimensions just talk to us – we are always happy to accommodate your needs.

Dealer support and supply service

Become a Heller drill centre customer – start enjoying numerous advantages when you purchase your first 1.33 m module wall. We will help you develop **product plans** to allow you to **optimally stock** your personal drill centre. When you reorder drill centre articles your order is given **priority treatment**.

Profit from the "drill centre effect"

In individual product groups, our specialist dealers recorded a **growth** in sales of up to 39%!



heller
get a bit more

Modules

Modules

Rotary Hammer Tools	6
Concrete and Masonry Drill Bits	8
Wood Drill Bits	9
Metal Drill Bits	10
Cassette and Drill Sets	12
Jigsaw and Recipro Saw Blades	13



Rotary Hammer Tools

4807 Bionic SDS plus Hammer Bits




mm	mm	mm	Art.
5.0	110	5	15620 2
6.0	110	5	15622 6
5.0	160	5	17650 7
6.0	160	5	15623 3
8.0	160	10	15626 4
10.0	160	5	15628 8
12.0	160	3	15631 8
8.0	210	5	15627 1
10.0	210	3	15629 5
12.0	210	3	15632 5
14.0	200	2	15637 0

mm	mm	mm	Art.
16.0	200	2	15642 4
18.0	200	2	15644 8
20.0	200	2	15647 9
12.0	260	3	15633 2
10.0	310	3	18687 2
14.0	300	2	16316 3
16.0	300	2	18688 9
12.0	450	1	15969 2
16.0	450	1	15643 1
20.0	450	1	15648 6

Complete module 71 24187 8

4807/02/44 Bionic SDS plus



mm	mm	mm	Art.
4.0	110	5	16306 4
5.0	110	5	15620 2
5.0	160	5	17650 7
5.5	110	5	15965 4
5.5	160	5	17298 1
6.0	110	5	15622 6
6.0	160	5	15623 3
6.0	260	5	15658 5
6.5	110	5	18308 6
6.5	160	5	19350 4
7.0	160	5	15625 7
8.0	110	5	15966 1
8.0	160	5	15626 4
8.0	210	5	15627 1
8.0	260	5	15659 2
10.0	160	5	15628 8
10.0	210	5	15629 5
10.0	260	5	15630 1
10.0	310	5	18687 2
10.0	450	5	15967 8
12.0	160	5	15631 8

mm	mm	mm	Art.
12.0	250	5	15633 2
12.0	450	2	15633 2
12.0	600	2	15970 8
14.0	160	2	15636 3
14.0	250	2	15638 7
14.0	300	2	16316 3
15.0	200	2	15639 4
16.0	200	2	15642 4
16.0	250	2	16930 1
16.0	450	2	15643 1
16.0	600	2	15972 2
18.0	200	2	15644 8
18.0	450	2	16709 3
20.0	200	2	15647 9
20.0	450	2	15648 6
20.0	600	2	15660 8
22.0	250	2	15649 3
22.0	450	2	15650 9
25.0	250	2	15652 3
25.0	450	2	15653 0
26.0	450	2	15654 7

Complete module 150 21742 2

4807/02 Bionic SDS plus



mm	mm	mm	Art.
4.0	110	5	16306 4
5.0	110	5	15620 2
5.0	160	5	17650 7
6.0	110	5	15622 6
6.0	160	10	15623 3
6.0	260	5	15658 5
8.0	110	5	15966 1
8.0	160	5	15626 4
8.0	210	5	15627 1
8.0	260	3	15659 2
10.0	160	5	15628 8
10.0	210	3	15629 5
10.0	260	3	15630 1
10.0	310	2	18687 2
12.0	160	3	15631 8
12.0	210	3	15632 5
12.0	260	3	15633 2
14.0	160	2	15636 3
14.0	200	2	15637 0
14.0	250	2	15638 7
14.0	300	2	16316 3
15.0	200	2	15639 4

mm	mm	mm	Art.
16.0	200	2	15642 4
16.0	250	1	16930 1
16.0	300	1	18688 9
18.0	200	2	15644 8
18.0	300	1	18689 6
20.0	200	1	15647 9
20.0	360	1	18690 2
22.0	250	1	15649 3
25.0	250	1	15652 3
8.0	460	1	15661 5
10.0	460	1	15967 8
12.0	450	1	15969 2
16.0	450	1	15643 1
18.0	450	1	16709 3
20.0	450	1	15648 6
22.0	450	1	15650 9
25.0	450	1	15653 0
26.0	450	1	15654 7
12.0	600	1	15970 8
16.0	600	1	15972 2
20.0	600	1	15660 8

Complete module 108 24188 5

4807/44 Bionic SDS plus



mm	mm	mm	Art.
4.0	110	5	16306 4
5.0	110	5	15620 2
5.0	160	5	17650 7
5.5	110	5	15965 4
5.5	160	5	17298 1
6.0	110	5	15622 6
6.0	160	5	15623 3
6.5	160	5	19350 4
7.0	160	5	15625 7
7.0	210	5	21687 6
8.0	160	5	15626 4

mm	mm	mm	Art.
8.0	210	5	15627 1
10.0	160	5	15628 8
10.0	210	5	15629 5
10.0	310	2	18687 2
12.0	160	2	15631 8
12.0	260	2	15633 2
14.0	200	2	15637 0
16.0	200	2	15642 4
18.0	200	2	15644 8
20.0	200	2	15647 9

Complete module 84 21741 5

Rotary Hammer Tools

4823

SDS plus Chisels and Y-Cutter Ergo SDS max



Chisels

Pointed- 250	3	16114 5
Pointed- 250	3	19620 8
Flat 250	4	19621 5
Spade 250	4	19622 2
Mortar 250	4	19624 6
Gouge 250	4	19623 9
Tile 250	2	22833 6
Winged 250	2	22835 0



Y-Cutter Ergo

18.0	450	1	22525 0
20.0	450	1	22527 4
22.0	450	1	22528 1
25.0	450	1	22531 1
28.0	450	1	22533 5
30.0	450	1	22534 2

Complete module 32 24196 0

4825/44

Y-Cutter Ergo SDS max Hammer Bits



12.0	340	1	22354 6
12.0	540	1	22355 3
13.0	540	1	23109 1
16.0	340	1	22361 4
16.0	540	1	22362 1
18.0	340	1	22363 8
18.0	540	1	22364 5
20.0	320	1	22365 2
20.0	520	1	22366 9
22.0	320	1	22368 3



22.0	520	1	22369 0
25.0	320	1	22373 7
25.0	520	1	22374 4
26.0	520	1	23114 5
28.0	370	1	22377 5
28.0	570	1	22378 2
30.0	570	1	22381 2
32.0	570	1	22383 6
35.0	570	1	22387 4

Complete module 19 21717 0

4824

SDS plus Chisels



Chisels

Pointed 250	6	16114 5
Pointed 250	6	19620 8
Flat 250	6	19621 5
Spade 250	6	19622 2



Chisels

Gouge 250	4	19623 9
Mortar 250	4	19624 6
Tile 250	2	22833 6
Winged 250	2	22835 0

Complete module 36 24197 7

4828

SDS max Chisels



Chisels

Pointed 280	2	21000 3
Flat 280	2	21003 4
Gouge 300	1	21008 9
Chasing 300	1	21009 6
Spade 300	1	21007 2
Spade 400	2	21006 5
Pointed 400	4	21001 0



Chisels

Flat 400	4	21004 1
Tooth 300	1	21010 2
Mortar 300	1	21011 9
Pointed 600	2	21002 7
Flat 600	2	21005 8
Tile 300	1	22832 9
Winged 380	1	22834 3

Complete module 25 24199 1

4825

Y-Cutter Ergo SDS max Hammer Bits



12.0	340	1	22354 6
16.0	340	1	22361 4
18.0	340	1	22363 8
20.0	320	1	22365 2
25.0	320	1	22373 7
28.0	370	1	22377 5
12.0	540	1	22355 3
15.0	540	1	22360 7
16.0	540	1	22362 1



18.0	540	1	22364 5
20.0	520	1	22366 9
22.0	520	1	22369 0
25.0	520	1	22374 4
26.0	520	1	23114 5
28.0	570	1	22378 2
30.0	570	1	22381 2
32.0	570	1	22383 6
35.0	570	1	22387 4

Complete module 18 24198 4

4836

Bionic SDS plus Hammer Bits Eco Box



5.0	110	3	19440 2
6.0	110	6	19442 6
6.0	160	3	19443 3
8.0	110	3	19444 0
8.0	160	3	19445 7
8.0	210	3	19446 4



10.0	160	3	19447 1
10.0	210	3	19448 8
12.0	160	3	19449 5
12.0	210	3	19450 1
14.0	200	3	19452 5

Complete module 36 24214 1

Concrete and Masonry Drill Bits

4805 Concrete Drill Bits Power 3000



mm	mm	mm	Art.
3.0	85	5	10000 7
4.0	85	5	10001 4
5.0	95	10	10003 8
6.0	100	10	10005 2
7.0	100	5	10007 6
8.0	120	10	10008 3
10.0	120	10	10011 3
12.0	150	3	10013 7
14.0	150	2	10015 1
16.0	150	2	10016 8
18.0	160	2	10017 5
20.0	160	2	10018 2
5.0	150	3	10026 7
6.0	150	3	10027 4
8.0	200	3	10028 1
10.0	200	3	10029 8
12.0	220	3	10030 4
14.0	260	2	16229 6
Complete module			83 24185 4

4816 Core Bits



mm	mm	mm	Art.
Core Bit Bodies			
40.0	120	2	18944 6
50.0	120	2	18945 3
68.0	120	1	18946 0
68.0	120	1	23298 2
80.0	120	2	18947 7
90.0	120	1	18948 4
100.0	120	1	18949 1
Pilot Bits			
9.0	120	6	18951 4
hex.	100	3	18952 1
hex.	300	2	18953 8
Extension Shanks			
Size 12	415	2	10136 3
Drive Adapters			
SDS plus 110	3		18954 5
SDS plus 300	2		18955 2
Complete module			28 24194 6

4806 Masonry Drill Bits Speed 3015



mm	mm	mm	Art.
4.0	75	5	18017 7
5.0	85	10	18018 4
6.0	100	10	18020 7
8.0	120	10	18025 2
10.0	120	5	18027 5
12.0	150	3	18029 0
14.0	150	2	18032 0
16.0	150	2	18033 7
18.0	160	2	18034 4
20.0	160	2	18035 1
8.0	400	3	18001 6
10.0	400	3	18002 3
12.0	400	3	18004 7
14.0	400	3	18006 1
16.0	400	3	18008 5
18.0	400	3	18011 5
20.0	400	2	18013 9
22.0	400	1	18015 3
25.0	400	1	18016 0
Complete module			73 24186 1

4834 Allmat Drill Bits



mm	mm	mm	Art.
3.0	70	5	22680 6
4.0	85	5	21985 3
5.0	95	5	19414 3
5.0	150	3	21673 9
6.0	100	10	19415 0
6.0	150	3	21674 6
8.0	120	10	19416 7
8.0	200	3	21675 3
10.0	120	5	19417 4
10.0	200	3	21676 0
12.0	150	3	19420 4
12.0	220	3	21677 7
14.0	260	2	21678 4
6.0	160	5	21679 1
8.0	160	5	21680 7
8.0	210	3	21681 4
10.0	160	5	21682 1
10.0	260	3	21683 8
12.0	160	3	21684 5
12.0	260	3	21685 2
14.0	260	2	21686 9
Complete module			89 24203 5

4806/44 Masonry Drill Bits Speed 3015



mm	mm	mm	Art.
4.0	150	10	24608 8
4.5	150	10	24609 5
5.0	150	10	18019 1
5.5	150	20	19281 1
6.0	150	20	18021 4
6.5	150	10	18023 8
7.0	150	20	19282 8
8.0	150	10	24612 5
10.0	150	10	24616 3
12.0	150	20	18029 0
13.0	150	10	18031 3
14.0	150	20	18032 0
15.0	150	10	24624 8
16.0	150	10	18033 7
18.0	160	10	18034 4
20.0	160	10	18035 1
Complete module			220 19352 8

Wood Drill Bits

4803 Allround Bits and CV Brad Point Bits



Allround wood bits

3.0	85	5	22711 7
4.0	85	5	10334 3
5.0	95	5	10335 0
6.0	100	10	10336 7
8.0	120	5	10337 4
10.0	120	3	10338 1
12.0	150	3	10339 8

CV Brad Point Wood Bits

3.0	60	5	13242 8
4.0	75	5	11910 8



5.0	85	5	11912 2
6.0	90	5	11913 9
7.0	110	3	11915 3
8.0	120	5	11917 7
10.0	130	5	11920 7
12.0	150	3	11922 1
13.0	150	2	11923 8
14.0	160	2	11924 5
15.0	170	2	11925 2
16.0	180	2	11926 9
18.0	190	1	11927 6
20.0	200	1	11928 3

Complete module 82 24182 3

4808 Wood Bits and Countersinking Bits



Adjustable Countersinks

3.0	25	2	11857 6
4.0	25	2	11859 0
5.0	25	2	11861 3
6.0	25	2	11863 7

Adjustable wood Countersinks

13.0	80	2	12009 8
16.0	90	2	12010 4
20.0	100	2	12011 1

Expansive Centre Bits

22-76	185	1	12086 9
15-45	130	2	15693 6



Hinge Boring Bits

20.0	60	2	14920 4
25.0	60	2	10705 1
26.0	60	2	10706 8
30.0	60	2	10707 5
35.0	60	2	10709 9

CV Formwork Drill Bits

8.0	400	2	12091 3
10.0	400	2	12092 0
12.0	400	2	12093 7
14.0	400	2	12094 4
16.0	400	2	12095 1
18.0	400	2	12096 8

Complete module 39 24189 2

4803/01 CV Brad Point Wood Bits



3.0	60	5	13242 8
4.0	75	5	11910 8
5.0	85	5	11912 2
6.0	90	5	11913 9
6.0	250	5	23354 5
7.0	110	3	11915 3
8.0	120	5	11917 7
8.0	250	5	23355 2
10.0	130	5	11920 7
10.0	250	5	23356 9
12.0	150	3	11922 1



12.0	250	3	23357 6
13.0	150	2	11923 8
14.0	160	2	11924 5
14.0	250	2	23358 3
15.0	170	2	11925 2
16.0	180	2	11926 9
16.0	250	2	23359 0
18.0	190	1	11927 6
18.0	250	1	23360 6
20.0	210	1	11928 3
22.0	210	1	23349 1

Complete module 70 24183 0

4812 Auger Bits



6.0	235	3	19029 9
8.0	235	3	19030 5
10.0	235	3	19031 2
12.0	235	3	19032 9
14.0	235	3	19033 6
16.0	235	3	19034 3
10.0	450	2	19035 0
12.0	450	2	19036 7
14.0	450	2	19037 4



16.0	450	2	19038 1
18.0	450	2	19039 8
20.0	450	2	19040 4
22.0	450	1	19041 1
24.0	450	1	19042 8
26.0	450	1	19043 5
28.0	450	1	19044 2
30.0	450	1	19045 9
32.0	450	1	19046 6

Complete module 36 24190 8

4804 Forstner Bits and Hinge Boring Bits



Forstner Bits

10.0	90	3	12027 2
12.0	90	3	12028 9
14.0	90	3	12029 6
15.0	90	3	12030 2
16.0	90	3	12031 9
18.0	90	3	12032 6
20.0	90	3	12033 3
22.0	90	2	12034 0
24.0	90	2	12035 7
25.0	90	2	12036 4



26.0	90	2	12037 1
28.0	90	2	12038 8
30.0	90	2	12039 5
35.0	90	2	12042 5
40.0	90	2	12045 6
Hinge Boring Bits			
20.0	60	2	14920 4
25.0	60	2	10705 1
26.0	60	2	10706 8
30.0	60	2	10707 5
35.0	60	2	10709 9

Complete module 47 24184 7

4813 CV Installation and Formwork Drill Bits



CV Formwork Drill Bits

8.0	400	2	12091 3
10.0	400	2	12092 0
12.0	400	2	12093 7
14.0	400	2	12094 4
16.0	400	2	12095 1
18.0	400	2	12096 8
10.0	600	2	12104 0
12.0	600	2	12105 7
14.0	600	2	12106 4



16.0	600	2	12107 1
18.0	600	2	12108 8
20.0	600	2	12109 5
CV Formwork Drill Bits			
SDS plus			
10.0	400	2	19047 3
12.0	400	2	19048 0
14.0	400	2	19049 7
16.0	400	2	19050 3
18.0	400	2	19051 0
20.0	400	2	19052 7

Complete module 36 24191 5

Wood Drill Bits

4814 CV Flat Milling Wood Bits



mm	mm		Art.
6.0	152	3	19053 4
8.0	152	3	19054 1
10.0	152	3	19055 8
12.0	152	3	19056 5
13.0	152	3	21787 3
14.0	152	3	19057 2
16.0	152	3	19058 9
17.0	152	3	21788 0
18.0	152	3	19059 6
19.0	152	3	21789 7
20.0	152	6	19060 2
22.0	152	3	19061 9
24.0	152	3	19062 6
25.0	152	3	19063 3
28.0	152	3	19064 0
30.0	152	3	19065 7
32.0	152	3	19066 4
35.0	152	3	19067 1
38.0	152	3	19068 8
40.0	152	3	21790 3
hex.*	330	3	19070 1
Complete module			66 24192 2

* Extension for hex. shank mount

Metal Drill Bits

4801 HSS Super-Pro Twist Drill Bits



mm	mm		Art.
1.0	34	5	17760 3
1.5	40	5	17761 0
2.0	49	5	17762 7
2.5	57	5	17763 4
3.0	61	10	17764 1
3.2	65	5	17765 8
3.3	65	5	17766 5
3.5	70	5	17767 2
4.0	75	10	17768 9
4.2	75	5	17769 6
4.5	80	5	17770 2
4.8	86	5	17771 9
5.0	86	10	17772 6
5.5	93	5	17773 3
6.0	93	10	17774 0
6.5	101	5	17775 7
7.0	109	5	17776 4
7.5	109	3	17777 1
8.0	117	10	17778 8
8.5	117	5	17779 5
9.0	125	3	17780 1
9.5	125	3	17781 8
10.0	133	5	17782 5
10.5	133	2	17783 2
11.0	142	2	17784 9
11.5	142	2	17785 6
12.0	151	2	17786 3
12.5	151	2	17787 0
13.0	151	2	17788 7
Complete module			146 24180 9

4802 HSS Twist Drill Bits



mm	mm		Art.
1.0	34	5	17790 0
1.5	40	5	17791 7
2.0	49	5	17792 4
2.5	57	5	17793 1
3.0	61	10	17794 8
3.2	65	5	17795 5
3.3	65	5	17796 2
3.5	70	10	17797 9
4.0	75	10	17798 6
4.2	75	5	17799 3
4.5	80	10	17800 6
4.8	86	5	17801 3
5.0	86	10	17802 0
5.5	93	5	17803 7
6.0	93	10	17804 4
6.5	101	5	17805 1
7.0	109	5	17806 8
7.5	109	3	17807 5
8.0	117	10	17808 2
8.5	117	5	17809 9
9.0	125	5	17810 5
9.5	125	3	17811 2
10.0	133	5	17812 9
10.5	133	2	17813 6
11.0	142	2	17814 3
11.5	142	2	17815 0
12.0	151	2	17816 7
12.5	151	2	17817 4
13.0	151	2	17818 1
Complete module			158 24181 6

Metal Drill Bits

4815 HSS Bi-metal Hole Saws and Accessories



mm	mm	mm	Art.
60.0	32	2	19084 8
64.0	32	3	19085 5
68.0	32	3	19086 2
83.0	32	2	19089 3
20.0	32	2	19072 5
25.0	32	2	19074 9
30.0	32	2	19075 6
35.0	32	2	19077 0

mm	mm	mm	Art.
40.0	32	2	19079 4
50.0	32	2	19081 7
Drive Adapter +			
HSS Pilot Bits			
14-30 tri.	32	2	19092 3
14-30 hex.	32	4	19093 0
32-152	-	4	19094 7
HSS Pilot Bits			
6.35	110	6	19095 4

Complete module 38 24193 9

4829 HSS Cobalt Twist Drill Bits



mm	mm	mm	Art.
1.0	34	10	21221 2
1.5	40	5	21222 9
2.0	49	10	21223 6
2.5	57	5	21224 3
3.0	61	10	21225 0
3.2	65	10	21226 7
3.3	65	10	21227 4
3.5	70	5	21228 1
4.0	75	10	21229 8
4.2	75	5	21230 4
4.5	80	5	21231 1
4.8	86	5	21232 8
5.0	86	10	21233 5
5.5	93	5	21234 2
6.0	93	10	21235 9

mm	mm	mm	Art.
6.5	101	5	21236 6
7.0	109	5	21237 3
7.5	109	3	21238 0
8.0	117	10	21239 7
8.5	117	5	21240 3
9.0	125	3	21241 0
9.5	125	3	21242 7
10.0	133	5	21243 4
10.5	133	2	21244 1
11.0	142	2	21245 8
11.5	142	2	21246 5
12.0	151	2	21247 2
12.5	151	2	21248 9
13.0	151	2	21249 6

Complete module 166 24200 4

4822 HSS Countersinks and Cone Drill Bits



mm	mm	mm	Art.
De-burring Cone Drill Bits			
6.3	45	3	22583 0
8.3	50	3	22584 7
10.4	50	3	22585 4
Milling Cutter, Centre Punch, Scribe, Countersink			
6.0	90	3	22613 4
Size 13	100	2	10733 4
8.0	145	2	10728 0
7.0	145	2	10319 0
16.5	-	2	22612 7
De-burring Cone Drill Bits			
12.4	56	3	22586 1
16.5	60	3	22587 8
20.5	63	2	22588 5

mm	mm	mm	Art.
25.0	67	2	22589 2
Pointed Countersink			
2-5	45	2	22591 5
5-10	48	2	22592 2
10-15	65	2	22593 9
Sheet Metal Cone Drill Bits			
3-14	58	2	22597 7
5-20	71	2	22598 4
16-30.5	76	2	22599 1
5-31	103	2	22603 5
Step Drill Bits			
4-20	75	1	22606 6
4-30	100	1	22607 3
6-37	100	1	22610 3

Complete module 47 24195 3

4832 HSS Long Series Drill Bits



mm	mm	mm	Art.
2.0	85	5	21349 3
3.0	100	5	21351 6
3.2	106	5	21352 3
3.3	106	5	21353 0
4.0	119	5	21355 4
4.2	119	5	21356 1
4.8	132	5	21358 5
5.0	132	5	21359 2
6.0	139	5	21362 2

mm	mm	mm	Art.
6.8	156	5	21364 6
7.0	156	5	21365 3
8.0	165	5	21367 7
8.5	165	5	21368 4
9.0	175	5	21369 1
10.0	184	5	21371 4
11.0	195	3	21373 8
12.0	205	3	21375 2
13.0	205	3	21377 6

Complete module 84 24201 1

4833 HSS Blacksmith Drill Bits




mm	mm	mm	Art.
10.0	133	3	21542 8
11.0	142	3	21544 2
12.0	151	3	21546 6
13.0	151	3	21548 0
13.5	160	3	21549 7
14.0	160	3	21550 3
14.5	169	3	21551 0
15.0	169	3	21552 7
15.5	178	3	21553 4

mm	mm	mm	Art.
16.0	178	3	21554 1
16.5	184	2	21555 8
17.0	184	2	21556 5
17.5	191	2	21557 2
18.0	191	2	21558 9
18.5	198	2	21559 6
19.0	198	2	21560 2
19.5	205	2	21561 9
20.0	205	2	21562 6

Complete module 46 24202 8

Cassette and Drill Bit Sets

4811/01 HSS Twist Drill Bits



					
		900/06	3	17731 3	
		900/13	3	17733 7	
Complete module			12	24204 2	

4811/06 HSS Super-Pro Twist Drill Bits



					
		900/13	3	17733 7	
		900/19	2	21961 7	
Complete module			6	24209 7	

4811/02 Allround and Allmat Drill Bits



					
		3700/04	3	16916 5	
		3740/04	3	22697 4	
Complete module			12	24205 9	

4811/07 HSS Twist Drill Bits



					
		901/13	3	17734 4	
		901/19	2	17737 5	
Complete module			6	24210 3	

4811/03 Wood, Masonry, Concrete Bits



					
		333/05	3	16872 4	
		333/08	3	18736 7	
Complete module			12	24206 6	

4811/08 Core Bits with SDS plus Shank



					
50.0	120	2	19626 0		
68.0	120	2	23342 2		
Complete module			6	24211 0	

4811/04 Concrete Drill Bits and SDS plus Drill Bits



					
		3000/07	3	16884 7	
		2018/07	3	16315 6	
Complete module			9	24207 3	

4811/09 Core Bits with hex. Shank



					
50.0	120	2	18959 0		
68.0	120	2	23341 5		
Complete module			6	24212 7	

4811/05 Allmat and HSS Drill Bits



					
		3740/04	3	22697 4	
		990/06	3	17735 1	
Complete module			12	24208 0	

4835 HSS Drill Bits Steel Cassettes



					
		900/06	4	17731 3	
		900/19	3	21961 7	
		900/25	2	21964 8	
Complete module			18	24213 4	

Saw Blades

4838 Jigsaw and Recipro Saw Blades



				
HSS UT	50 / 1.2 mm	10	24001 7	
HSS UT	50 / 2.0 mm	10	24002 4	
HSS CT	75 / 3.0 mm	10	24003 1	
HSS CT	100 / 1.2 mm	10	24004 8	
HCS S	75 / 2.5 mm	10	24017 8	
Bi-metal UT	50 / 1.2 mm	10	24008 6	
Bi-metal CT	150 / 1.8 mm	5	24036 9	
Bi-metal UT	150 / 1.4 mm	5	24037 3	
Bi-metal CT	200 / 1.8 mm	5	24038 3	
Bi-metal UT	200 / 1.4 mm	5	24039 0	
Bi-metal CT	300 / 2.5 mm	5	24040 6	
Complete module		85	24651 4	

4839 Jigsaw and Recipro Saw Blades



				
Bi-metal	50 / 2.0 mm	10	24009 3	
TC	54 mm	10	24010 9	
HCS	75 / 2.5 mm	10	24013 0	
HCS	75 / 4.0 mm	10	24014 7	
HCS	75 / 4.0 mm	10	24015 4	
Bi-metal S	75 / 2.5 mm	10	24018 5	
HCS CT	150 / 4.2 mm	5	24042 0	
HCS	250 / 4-6.5 mm	5	24044 4	
HCS	300 / 4.2 mm	5	24046 8	
Bi-metal	100 / 1.0 mm	5	24047 5	
Bi-metal	150 / 1.0 mm	5	24048 2	
Complete module		85	24652 1	

► Displays

Displays

► Displays and Merchandiser Cabinets

Tower display	15
Counter display	16
Large merchandiser cabinet	17
Small merchandiser cabinet	17



4881**Tower
Display**

- ▶ Attractive secondary placement for increased sales at the POS
- ▶ Displays one Bionic SDS plus and one Y-Cutter SDS max hammer drill bit module

**Y-Cutter SDS max**

12.0	340	1	22354 6
16.0	340	1	22361 4
18.0	340	1	22363 8
20.0	320	1	22365 2
25.0	320	1	22373 7
28.0	370	1	22377 5
12.0	540	1	22355 3
15.0	540	1	22360 7
16.0	540	1	22362 1
18.0	540	1	22364 5
20.0	520	1	22366 9
22.0	520	1	22369 0
25.0	520	1	22374 4
26.0	520	1	23114 5
28.0	570	1	22378 2
30.0	570	1	22381 2
32.0	570	1	22383 6
35.0	570	1	22387 4

**Bionic SDS plus**

5.0	110	5	15620 2
6.0	110	5	15622 6
5.0	160	5	17650 7
6.0	160	5	15623 3
8.0	160	10	15626 4
10.0	160	5	15628 8
12.0	160	3	15631 8
8.0	210	5	15627 1
10.0	210	3	15629 5
12.0	210	3	15632 5
14.0	200	2	15637 0
16.0	200	2	15642 4
18.0	200	2	15644 8
20.0	200	2	15647 9
12.0	260	3	15633 2
10.0	310	3	18687 2
14.0	300	2	16316 3
16.0	300	2	18688 9
12.0	450	1	15969 2
16.0	450	1	15643 1
20.0	450	1	15648 6

Complete module	88	24653 8
-----------------	----	---------

Attractive design:
attention-grabbing
sales booster



Sturdy construction:
made of metal
with secure base and
stable suspension



Attractive conditions:
price advantages
for specialist
dealers



heller
get a bit more

Order fax: +49 (0) 44 43 / 96 21-30

4882

Counter
Display

- Attractive secondary placement for increased sales at the POS
- Displays Bionic SDS plus hammer drill bits

							
4.0	110	10	16306 4	10.0	160	20	15628 8
5.0	110	10	15620 2	10.0	210	10	15629 5
6.0	110	10	15622 3	12.0	160	5	15631 8
6.0	160	30	15623 3	12.0	210	5	15632 5
7.0	160	10	15625 7	14.0	150	5	15636 3
8.0	110	10	15966 1	14.0	200	5	15637 0
8.0	160	20	15626 4				
Complete module				150	24655 2		



Attractive design:
attention-grabbing
sales booster



Solid construction:
made of metal
with secure base
and stable
suspension



Attractive conditions:
price advantages
for specialist
dealers



heller
get a bit more

HSS Twist Drill Bits Merchandiser Cabinets

HSS Twist Drill Bits Large Merchandiser Cabinet

mm	mm	mm	Art.	mm	mm	mm	Art.
1.0	34	10	18450 2	5.9	93	10	18499 1
1.1	36	10	18451 9	6.0	93	10	18500 4
1.2	38	10	18452 6	6.1	101	10	18501 1
1.3	38	10	18453 3	6.2	101	10	18502 8
1.4	40	10	18454 6	6.3	101	10	18503 5
1.5	40	10	18455 7	6.4	101	10	18504 2
1.6	43	10	18456 4	6.5	101	10	18505 9
1.7	43	10	18457 1	6.6	101	10	18506 6
1.8	46	10	18458 8	6.7	101	10	18507 3
1.9	46	10	18459 5	6.8	109	10	18508 0
2.0	49	10	18460 1	6.9	109	10	18509 7
2.1	49	10	18461 8	7.0	109	10	18510 3
2.2	53	10	18462 5	7.1	109	10	18511 0
2.3	53	10	18463 2	7.2	109	10	18512 7
2.4	57	10	18464 9	7.3	109	10	18513 4
2.5	57	10	18465 6	7.4	109	10	18514 1
2.6	57	10	18466 3	7.5	109	10	18516 5
2.7	61	10	18467 0	7.6	117	10	18516 5
2.8	61	10	18468 7	7.7	117	10	18517 2
2.9	61	10	18469 4	7.8	117	10	18518 9
3.0	61	10	18470 6	7.9	117	10	18519 6
3.1	65	10	18471 7	8.0	117	10	18520 2
3.2	65	10	18472 4	8.1	117	10	18521 9
3.3	65	10	18473 1	8.2	117	10	18522 6
3.4	70	10	18474 8	8.3	117	10	18523 3
3.5	70	10	18475 5	8.4	117	10	18524 0
3.6	70	10	18476 2	8.5	117	10	18525 7
3.7	70	10	18477 9	8.6	125	10	18526 4
3.8	75	10	18478 6	8.7	125	10	18527 1
3.9	75	10	18479 3	8.8	125	10	18528 8
4.0	75	10	18480 9	8.9	125	10	18529 5
4.1	75	10	18481 6	9.0	125	10	18530 1
4.2	75	10	18482 3	9.1	125	10	18531 8
4.3	80	10	18483 0	9.2	125	10	18532 5
4.4	80	10	18484 7	9.3	125	10	18533 2
4.5	80	10	18485 4	9.4	125	10	18534 9
4.6	80	10	18486 1	9.5	125	10	18535 6
4.7	80	10	18487 8	9.6	133	10	18536 3
4.8	86	10	18488 5	9.7	133	10	18537 0
4.9	86	10	18489 2	9.8	133	10	18538 7
5.0	86	10	18490 8	9.9	133	10	18539 4
5.1	86	10	18491 5	10.0	133	10	18540 0
5.2	86	10	18492 2	10.5	133	5	18542 4
5.3	86	10	18493 9	11.0	142	5	18544 8
5.4	93	10	18494 6	11.5	142	5	18546 2
5.5	93	10	18495 3	12.0	151	5	18548 6
5.6	93	10	18496 0	12.5	151	5	18550 9
5.7	93	10	18497 7	13.0	151	5	18552 3
5.8	93	10	18498 4				

Complete cabinet	940	21040 9
Empty cabinet		21041 6



Large Merchandiser Cabinet



Small Merchandiser Cabinet

HSS Twist Drill Bits Small Merchandiser Cabinet

mm	mm	mm	Art.	mm	mm	mm	Art.
1.0	34	20	18450 2	8.0	75	20	18520 2
1.5	40	20	18455 7	8.5	75	20	18525 7
2.0	49	20	18460 1	9.0	81	20	18530 1
2.5	57	20	18465 6	9.5	81	20	18535 6
3.0	61	20	18470 0	10.0	87	20	18540 0
3.5	70	20	18475 5	10.5	87	5	18542 4
4.0	75	20	18480 9	11.0	94	5	18544 8
4.5	80	20	18485 4	11.5	94	5	18546 2
5.0	86	20	18490 8	12.0	101	5	18548 6
5.5	57	20	18495 3	12.5	101	5	18550 9
6.0	57	20	18500 4	13.0	101	5	18552 3
6.5	63	20	18505 9				
7.0	69	20	18510 3				
7.5	69	20	18515 8				

Complete cabinet	410	21959 4
Empty cabinet		21779 8